820
FELLER BUNCHER



COMPACT FOR THINNING APPLICATIONS AND
SMALLER DIAMETER TIMBER.

TCi®

820 FELLER BUNCHER

COMPACT, LIGHTER WEIGHT DESIGN WITH TIGHT-TUCK BOOM GEOMETRY AND COMPACT TAIL-SWING TO MINIMIZE SOIL COMPRESSION AND RESIDUAL STAND DAMAGE. IDEAL FOR THINNING APPLICATIONS AND SMALL DIAMETER CLEAR FELLING.

KEY BENEFITS

- Optimized for tight stands and selective felling with a lightweight design that minimizes ground pressure and enhances maneuverability.
- Quick, responsive ER boom system for high productivity and excellent performance in small diameter, high cycle felling
- Clamshell-style roof enclosure and large side platform. Excellent access to major components and daily service points
- Full shift comfort. Highly adjustable parallel action air ride seat with integrated heating and cooling





QUICK CYCLES, TIGHT TUCK

- The ER boom system contributes to excellent fuel economy and reduced operator fatigue. It is perfectly matched to the lighter weight 820 carrier and optimized for quick cycles. Tight tuck geometry increases the boom envelope and helps to preserve the residual stand.




OPERATING ENVIRONMENT

- Optimally positioned controls and a large colour touchscreen display provide a user-friendly interface for the machine control system.
- Quiet interior environment with Bluetooth® audio and hands-free calling.
- Clear sightlines, a large skylight, and the skyVIEW camera system enhance visibility in all directions, reducing operator fatigue while improving safety and productivity.




SERVICE MADE EASY

- Class leading service and component access. The clamshell style enclosure and drop-down side platform allow easy access to all sides of the engine, valves and daily service points. A large, spring-assisted pump cover improves service access to the hydraulic pump area.





820 FELLER BUNCHER



Scan the QR code then click 'SPECS' for a full list of machine specifications for the 820 feller buncher.

Download the Tigercat-TCi App or visit tigercat.com to access the most current machine specifications for all Tigercat and TCi machine models.

EMAIL	comments@tigercat.com
PHONE	519.753.2000
WEBSITE	www.tigercat.com
ADDRESS	54 Morton Ave. East, Brantford, Ontario Canada, N3R 7J7
MAIL	Box 637 N3T 5P9

© 2001 - 2026 Tigercat International Inc. All Rights Reserved. TIGERCAT, WIDERANGE, TURNAROUND, ER, EHS, LOW-WIDE, TEC, REMOTELOG, LOGON, TCi, and their respective logos, TOUGH RELIABLE PRODUCTIVE, TIGERCAT TV, "Tigercat Orange" and BETWEEN THE BRANCHES, as well as corporate and product identity, are trademarks of Tigercat International Inc., and may not be used without permission. TIGERCAT, TCi, TURNAROUND, WIDERANGE, EHS, LOW-WIDE, ER and REMOTELOG, and their respective logos are registered trademarks of Tigercat International Inc.

CV1150
820 EN1.0 1126